## Page 3, before line 33, insert

-- Detailed Description of the Invention -- .

## IN THE CLAIMS

Please amend the claims as follows:

9 b)

(Amended) [Coextrusion] A coextrusion binder comprising:

- 5 to 30 parts of a polymer (A)[, itself] comprising a blend of a polyethylene (A1) of relative density between 0.935 and 0.980 and of a polymer (A2) [chosen from] selected from the group consisting of elastomers, very low-density polyethylenes and ethylene copolymers, the (A1) + (A2) blend being cografted with an unsaturated carboxylic acid;
  - 95 to 70 parts of a polyethylene (B) of relative density between 0.930 and 0.950;
  - the blend of (A) and (B) [being such that] having:
  - [its] a relative density [is] between 0.930 and 0.950,
- [the] a content of grafted unsaturated carboxylic acid [is] of between 30 and 10,000 ppm, and
- [the] an MFI (melt flow index) measured according to ASTM D 1238 at 190°C/21.6 kg [is] of between 5 and 100.

Claim 2,

Line 1:

Delete "Binder" and insert -- A binder--.

(Amended) [Multilayer] A multilayer structure comprising a layer comprising the binder of [any one of the preceding claims] Claim 1 [and], directly attached to [the latter] said binder, a layer (E) selected from the group consisting of a nitrogen-containing or oxygen-containing polar resin, [such as] a layer of polyamide resin, a layer of an aliphatic polyketone, a layer of a saponified ethylene-vinyl acetate copolymer (EVOH), [or] a layer of a polyester resin, [or else] and a metal layer.

Claim 4,

Line 1:

Delete "Structure" and insert -- A structure--.

Line 2:

Delete "a layer of a resin chosen".

Line 3:

Delete "from the resins of the" and insert --a--; delete "or a metal

layer".